

Tech specs

BASELINE

Ajax SpaceControl Jeweller

Wireless key fob with a panic button and control for security modes



Device compatibility

Check

Communication

Jeweller communication technology

Proprietary wireless communication technology to transmit commands, alarms, and events.

Key features:

- Two-way communication.
- Advanced sabotage protection.
- Block encryption featuring a dynamic key.
- Instant notifications.
- Remote control and configuration in Ajax apps.

[Learn more](#) >

Frequency bands

866.0–866.5 MHz

868.0–868.6 MHz

868.7–869.2 MHz

905.0–926.5 MHz

915.85–926.5 MHz

921.0–922.0 MHz

Depends on the sales region.

Maximum effective radiated power (ERP)

up to 20 mW

Automatic power control to reduce power consumption and radio interference.

Radio signal modulation

GFSK

Radio communication range

up to 1,300 m

Between the device and a hub (or a range extender) in an open space.

Calculate the radio communication range at the facility >

Encrypted communication

All stored and transmitted data are protected by block encryption featuring a dynamic key.

Frequency hopping

To prevent radio interference and jamming.

Learn more >

Key features

Number of buttons

4

- System arming button.
- System disarming button.
- Night mode button.
- Panic button.

Group management

A user can select a security group that the key fob manages.

Assigning to a user

When a key fob is assigned to a user, its events are sent to Ajax apps under the user's name. The key fob has the same security mode management rights as the user.

Accidental press protection

long or double press

Available on key fobs with the firmware version 5.54.1.0 or higher manufactured from March 19, 2020.

Power supply

Battery

1 × CR2032

Pre-installed.

Type

type C

Full battery capacity

225 mAh

Device's nominal operating voltage

3 V₌₌

Quiescent device's current consumption at nominal voltage

0.7 μA

Maximum device's current consumption at nominal voltage

26 mA

Calculated battery life

up to 5 years

Manufacturer

Renata

Panasonic

Enclosure

Dimensions

65 × 37 × 10 mm

Weight of the white device

13 g

Weight of the black device

12.7 g

Operating temperature range

from -25 °C to +50 °C
from -25 °C to +50 °C

Operating humidity

up to 95%

Protection class

IP50, IK04

Colors

Black

White

Complete set

Ajax SpaceControl Jeweller

CR2032 battery (pre-installed)

Quick start guide

Certification and compliance with standards

Ajax SpaceControl Jeweller



Additional information

Compliance with standards

[Learn more >](#)

User manual

[Learn more >](#)


Warranty

24 months

[Learn more >](#)


Subscribe

Subscribe to our emails about secure life. No spam.



Request extra help

 support@ajax.systems

 [@AjaxSystemsSupport_Bot](#)

 [Send a request](#)



4,500,000

people worldwide under Ajax protection

 Suggest a feature



Products


- Intrusion protection
- Video surveillance
- Fire and life safety
- Comfort and automation
- All products
- Services
- System integrations
- Ajax Ready products
- Fibra wired protocol
- Ajax radio protocols

Solutions

- Customer stories
- Solutions by facility type
- Commercial fire detection and alarm system
- Wireless Grade 3 solution
- Video surveillance solution
- Integration with Yale smart locks
- Upgrades and retrofits
- Why Ajax
- How it works

Software

- Ajax Security System
- Ajax PRO: Tool for Engineers
- Ajax Desktop
- Ajax PRO Desktop
- Ajax TV
- Ajax Translator PRO
- Ajax Cloud Signaling
- Scenarios



Support

- Manuals and articles
- Compliance with standards

Tools

- Ajax device compatibility
- CMS software compatibility
- Ajax Services availability
- Video storage calculator
- Video device calculator
- Battery life calculator
- Radio communication range calculator
- Switches and outlets configurator
- Fibra power supply calculator
- All web tools

Monitoring solutions and integrations

Intrusion alarm monitoring

Video monitoring and visual alarm verification

Audio alarm verification

Company

[Blog](#)

[About us](#)

[Press page](#)

[Events](#)

[Career](#)

[Ajax Next](#)

[Reviews and feedback](#)

For partners

[For partners](#)

[Ajax Academy](#)

[Partner Portal](#)

[!\[\]\(c3a92afbfbcda259fe6c9d5eed0857d1_img.jpg\) Србија](#) [Privacy policy](#) [Report a vulnerability](#) [GDPR White Paper](#) [NDAA Statement](#) [Cookie policy](#)

[Anti-Spam Policy](#) [Ajax Services T&C](#) [End user agreement](#) [Warranty](#)

© 2026 AJAX SYSTEMS CH. All rights reserved