

Products ▾

Assemble kit

 Case

More ▾

Tech specs

SUPERIOR

Case A (106)

Casing for an Ajax module



Compatibility

Superior LineSplit Fibra >

Superior LineProtect Fibra >

Superior MultiRelay Fibra >

Device installation

Number of devices

1

To install more devices, select a model with a different number of slots:


- [Case B \(175\)](#);
- [Case C \(260\)](#);
- [Case D \(430\)](#).

Which Case to choose >

Plastic latches

to secure a device

Slide the latches to remove the device.




Cable fasteners

to hold the cables together with ties

Plastic stoppers

to protect the installed device

During drilling, the instrument rests on the Case stoppers.



Bubble level

To check the inclination angle of the casing during installation.

Recesses for drilling

Ø16 mm or Ø20 mm

The drill bit is fixed in the recess and does not move during drilling. We recommend using a hole saw for plastic.



Wider holes

To ensure that the casing is installed correctly, even if there are errors during installation.

Key features

Tamper board

Included in the Case complete set. The tamper board connects to the appropriate device connector and protects the installed device from sabotage.

What is tamper >

Device rotation

by 180°

The devices can be rotated by 180°, giving two options for fixation.



Holding screws


in the casing lid



Rotate the lid

by 180°

The lid of Case A (106) can be rotated by 180° during installation.



Latches

to secure the lid during installation

The latches prevent the lid from falling off Case until it is secured with screws.



Recommendations

The device is designed for indoor use only. Case is produced in several versions.

Which Case to choose >

Product

Dimensions

106 × 168 × 56 mm

Weight of the black device

200 g

Weight of the white device

207 g



Operating temperature range

from -10 °C to +40 °C

Operating humidity

up to 75%



56 mm

Color

Black



White



Complete set

Case A (106)

Tamper board

Installation kit

Quick start guide

Certification and compliance with standards

 Case A (106)



Additional information

Compliance with standards

[Learn more >](#)

User manual

[Learn more >](#)

Warranty

24 months

[Learn more >](#)

Subscribe

Subscribe to our emails about secure life. No spam.

[Subscribe](#)

Request extra help

- ✉ support@ajax.systems
- 📍 @AjaxSystemsSupport_Bot
- 💬 Send a request

 **4,500,000**
 people worldwide under Ajax protection
 Rating 4.8

💡 Suggest a feature



Products



- Intrusion protection
- Video surveillance
- Fire and life safety
- Comfort and automation
- All products
- Services
- System integrations
- Ajax Ready products
- Fibra wired protocol
- Ajax radio protocols

Solutions

- Customer stories
- Solutions by facility type
- Commercial fire detection and alarm system
- Wireless Grade 3 solution
- Video surveillance solution

Software

- Ajax Security System
- Ajax PRO: Tool for Engineers
- Ajax Desktop
- Ajax PRO Desktop
- Ajax TV
- Ajax Translator PRO
- Ajax Cloud Signaling
- Scenarios



Support

- Manuals and articles
- Compliance with standards

Tools

[Integration with Yale smart locks](#)

[Upgrades and retrofits](#)

[Why Ajax](#)

[How it works](#)

[Ajax device compatibility](#)

[CMS software compatibility](#)

[Ajax Services availability](#)

[Video storage calculator](#)

[Video device calculator](#)

[Battery life calculator](#)

[Radio communication range calculator](#)

[Switches and outlets configurator](#)

[Fibra power supply calculator](#)

[All web tools](#)

Monitoring solutions and integrations

[Intrusion alarm monitoring](#)

[Video monitoring and visual alarm verification](#)

[Audio alarm verification](#)

Company

[Blog](#)

[About us](#)

[Press page](#)

[Events](#)

[Career](#)

[Ajax Next](#)

[Reviews and feedback](#)

For partners

[For partners](#)

[Ajax Academy](#)

[Partner Portal](#)

[🇷🇸 Србија](#) [Privacy policy](#) [Report a vulnerability](#) [GDPR White Paper](#) [NDAA Statement](#) [Cookie policy](#)

[Anti-Spam Policy](#) [Ajax Services T&C](#) [End user agreement](#) [Warranty](#)

© 2026 AJAX SYSTEMS CH. All rights reserved