

IP CCTV / Professional IP cameras / EASY-P / Mini cameras

EP-IPMC010A-4-POE

EasyP



Features

- Easy-P with Artificial Intelligence
- Mini IP Camera
- 1/3" Progressive Scan CMOS
- 4 Megapixel (2560x1440)
- 2.8mm fixed lens
- Minimum illumination 0.01 Lux
- WDR 120 dB
- Integrated microphone
- AI: intrusion detection, motion detection based on human detection. Reduces false alarms
- ONVIF Compatible
- P2P
- PoE
- Slot for MicroSD up to 512 GB
- Metallic

Specifications

Brand	EASY-P
Image sensor	1/3" Progressive Scan CMOS
Lens	2.8 mm
Maximum resolution	4 Megapixel (2560x1440)
Minimum illumination	Colour: 0.01 Lux @(F1.6, AGC ON)
Main Stream rate	2688*1512@25fps 2560*1440@30fps 1920*1080@30fps 1280*720@30fps
Extra Stream rate	1280*720@30fps 720*480@30fps
Compression	H.264 / H.264+ / H.265 / H.265+ / JPEG / AVI
Storage	Slot for microSD 512G
Image improvements	BLC, HLC, 3D-DNR, AWB, ROI, Mirror Function
WDR	120dB
Motion detection and UMD	Supports both functions
Smart Features	Native support of Motion Detect 2.0 and UMD
Audio	Integrated microphone
Audio Compression	G711A / U, AAC
Network interface	Ethernet 10 / 100M BaseT
Remote access	Web Browser, APP
Interoperability	ONVIF, plug&play with Uniview and Hikvision (check firmware)
P2P	Yes
Power	DC 12 V / 4.2 W max. / IEEE802.3af PoE
Temp. operation	-20° C ~ +60° C
Dimensions	36(AI) x 36(An) x 33(Fo) mm
Weight	300 g

Material

Metallic
